This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



(51) International Patent Classification 7:		(11) Internations	al Publication Number:	wo	00/0422
D06L 1/02	A1	(43) Internation	al Publication Date:	27 January 20	00 (27.01.0
(21) International Application Number: PCT/US9 (22) International Filing Date: 14 July 1999 (1998) (30) Priority Data: 09/115,352 14 July 1998 (14.07.98) (71) Applicant: GREENEARTH CLEANING, LLC [US/UWest 119th Terrace, Leawood, KS 66209 (US). (72) Inventors: BERNDT, Wolf-Dieter, R.; 895 Apollo WBox 4413, Incline Village, NV 89450 (US). GRIFF McLeod; Apartment 5, 2360 Union Street, San FCA 94123 (US). (74) Agent: STEPHENS, L., Keith; Hickman Stephens & GLLP, P.O. Box 52037, Palo Alto, CA 94303-0746	4.07.9 [S]; 37 Ay, P. IS, Jol	BR, 1 GD, KP, I MN, SK, S ARIF ZW) TM) FR, 6 (BF, SN, O. In, Co, Published With	ed States: AE, AL, AM, BY, CA, CH, CN, CU, CG, GH, GM, HR, HU, KR, KZ, LC, LK, LR, LS, MW, MX, NO, NZ, PL, FSL, TJ, TM, TR, TT, UA, PO patent (GH, GM, KE, European patent (AT, BE, GB, GR, IE, IT, LU, MC, BJ, CF, CG, CI, CM, G, TD, TG).	Z, DE, DK, EE ID, IL, IN, IS, LT, LU, LV, M PT, RO, RU, SE UG, UZ, VN, ' LS, MW, SD, Z, BY, KG, KZ, E, CH, CY, DE E, NL, PT, SE), A, GN, GW, N	, ES, FI, G JP, KE, K ID, MG, M D, SE, SG, YU, ZA, Z' SL, SZ, U MD, RU, , DK, ES, OAPI pate
(57) Abstract	т		GARMENTS ARE		
(57) Abstract A dry cleaning system and method comprises specially designed or modified machinery used in conjunction with a cyclic siloxane solvent. In a preferred embodi-	T	STEP 1	GARMENTS ARE PLACED INTO MACH		·
A dry cleaning system and method comprises specially designed or modified machinery used in conjunction with a cyclic siloxane solvent. In a preferred embodiment, the method comprises the steps of loading articles into a cleaning basket; agitating the articles and the siloxane composition in which they are immersed; removing most of the siloxane composition; centrifuging the articles: subjecting the articles to a partial vacuum pressure	T	STEP 1		IINE]
A dry cleaning system and method comprises specially designed or modified machinery used in conjunction with a cyclic siloxane solvent. In a preferred embodiment, the method comprises the steps of loading articles into a cleaning basket; agitating the articles and the siloxane composition in which they are immersed; removing most of the siloxane composition; centrifuging the arti-	T		PLACED INTO MACH	ATED]
cially designed or modified machinery used in conjunction with a cyclic siloxane solvent. In a preferred embodiment, the method comprises the steps of loading articles into a cleaning basket; agitating the articles and the siloxane composition in which they are immersed; removing most of the siloxane composition; centrifuging the articles; subjecting the articles to a partial vacuum pressure and elevated temperature; and removing the articles from the basket after cooling the articles and returning the pres-	T	STEP 2	PLACED INTO MACH WASH CYCLE IS INITIA	ATED]

STEP 6

STEP 7

COOL DOWN CYCLE STARTS

VACUUM DISTILLATION OF SOLVENT CAN BE STARTED

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

4 m t	PC	Seein	1.5	Lesatho	SI	Slovenia
****		•				Slovakia
						Senegal Senegal
				•		Swaziland
	_					Chad
		•				•
Bosnia and Herzegovina		-	_	•	-	Togo
Barbados	GH	Ghana	_		_	Tajikistan
Belgium	GN	Guinea	MK			Turkmenistan
Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
•	IE	Ireland	MN	Mongolia	UA	Ukraine
	IL	Israel	MR	Mauritania	UG	Uganda
	IS	lceland	MW	Malawi	US	United States of America
	17	ltaly	MX	Mexico	UZ	Uzbekistan
	JP	Japan	NE	Niger	VN	Viet Nam
•	KE	Kenya	NL	Netherlands	YU	Yugoslavia
Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
Cameroon		Republic of Korea	PL	Poland		
	KR	Republic of Korea	PT	Portugal		
	KZ	Kazakstan	RO	Romania		
	LC	Saim Lucia	RU	Russian Federation		
•	ш	Liechtenstein	SD	Sudan		
	LK	Sri Lanka	SE	Sweden		
Estonia	LR	Liberia	SG	Singapore		
	Belgium Burkina Faso Bulgaria Benin Brazil Belarus Canada Central African Republic Congo Switzerland Côte d'Ivoire Cameroon China Cuba Czech Republic Germany Denmark	Armenia FI Austria FR Australia GA Azerbaijan GB Bosnia and Herzegovina GE Barbados GH Belgium GN Burkina Faso GR Bulgaria HU Benin IE Brazil II Belarus IS Canada IT Central African Republic JP Congo KE Switzerland KG Côte d'Ivoire KP Cameroon Chima KR Cuba KZ Czech Republic LC Germany LI Denmark LK	Armenia FI Finland Austria FR France Australia GA Gabon Azerbaijan GB United Kingdom Bosnia and Herzegovina GE Georgia Burkina Faso GR Greece Bulgaria HU Hungary Benin IE Ireland Brazil IL Israel Belarus IS Iceland Canada IT Italy Central African Republic JP Japan Congo KE Kenya Switzerland KG Kyrgyzstan Côte d'Ivoire KP Democratic People's Republic of Korea China KR Republic of Korea Cuba KZ Kazakstan Czech Republic LC Saint Lucia Germany LI Liechtenstein Denmark LK Sri Lanka	Armenia FI Finland LT Austria FR France LU Australia GA Gabon LV Azerbaijan GB United Kingdom MC Bosnia and Herzegovina GE Georgia MD Barbados GH Ghana MG Belgium GN Guinea MK Burkina Faso GR Greece Bulgaria HU Hungary ML Benin IE Ireland MN Brazil IL Israel MR Belarus IS Iceland MW Canada IT Italy MX Central African Republic JP Japan NE Congo KE Kenya NL Switzerland KG Kyrgyzstan NO Côte d'Ivoire KP Democratic People's NZ Cameroon KR Republic of Korea PL China KR Republic of Korea PL Cuba Czech Republic LC Saint Lucia RU Cermany LI Liechtenstein SD Denmark LK Sri Lanka SE	Armenia FI Finland LT Lithuania Austria FR France LU Luxembourg Australia GA Gabon LV Latvia Azerbaijan GB United Kingdom MC Monaco Bosnia and Herzegovina GE Georgia MD Republic of Moldova Barbados GH Ghana MG Madagascar Belgium GN Guinea MK The former Yugoslav Burkina Faso GR Greece Republic of Macedonia Bulgaria HU Hungary ML Mali Benin IE Ireland MN Mongolia Brazil IL Israel MR Mauritania Belarus IS Iceland MW Malawi Canada IT Ilaly MX Mexico Central African Republic JP Japan NE Niger Congo KE Kenya NL Netherlands Switzerland KG Kyrgyzstan NO Norway Côte d'Ivoire KP Democratic People's NZ New Zealand China KR Republic of Korea PL Poland China KR Republic of Korea PL Poland Cuba Czech Republic LC Saint Lucia RU Russian Federation Germany LI Liechtenstein SD Sudan Denmark LK Sri Lanka SE Sweden	Armenia FI Finland LT Lithuania SK Austria FR France LU Luxembourg SN Australia GA Gabon LV Latvia SZ Azerbaijan GB United Kingdom MC Monaco TD Bosnia and Herzegovina GE Georgia MD Republic of Moldova TG Barbados GH Ghana MG Madagascar TJ Belgium GN Guinea MK The former Yugoslav TM Burkina Faso GR Greece Republic of Macedonia TR Bulgaria HU Hungary ML Mali TT Benin IE Ireland MN Mongolia UA Brazil II Israel MR Mauritania UG Belarus IS Iceland MW Malawi US Canada IT Ilaly MX Mexico UZ Central African Republic JP Japan NE Niger VN Congo KE Kenya NL Netherlands YU Switzerland KG Kyrgyzstan NO Norway ZW Côte d'Ivoire KP Democratic People's NZ New Zealand Cameroon Republic IC Saint Lucia RU Russian Federation Cormany LI Liechtenstein SD Sudan Denmark LK Sri Lanka SE Sweden

DRY CLEANING METHOD AND SOLVENT

BACKGROUND OF THE INVENTION

5

10

FIELD OF THE INVENTION

This invention is in the general field of dry cleaning of clothing, textiles, fabrics and the like. The invention is more particularly directed to a method and apparatus for dry cleaning fabrics using a solvent not heretofore used in dry cleaning machines. The invention is more particularly directed to a dry cleaning apparatus wherein a silicon-based solvent is utilized which has a desirable flash point rating (over 140 degrees Fahrenheit) and fabric-safe qualities (non-dye pulling and non-shrinkage) together with superior solvency for fatty acids, grease and oils in a specially designed dry cleaning process.

15

PRIOR ART

Dry cleaning is a major industry throughout the world. In the United States alone, there are more than forty thousand dry cleaners (many of these have multiple locations).

20

The dry cleaning industry is an essential industry in the present economy. Many articles of clothing (and other items) must be dry cleaned in order to remain clean (the removal of body fats and oils), and presentable (do not shrink or discolor clothing).

25

The most widely used dry cleaning solvent until now has been Perc. There are numerous disadvantages to Perc including its toxicity and odor. The machinery widely used, until now, has been manufactured specifically for use with Perc. This has been another limiting factor in the industry.

30

Another problem in this field is that different fabrics require different handling in the presently used systems in order to prevent damage to the fabrics during the dry cleaning process.

The prior art in dry cleaning includes the use of various solvents with appropriate machinery to accomplish the cleaning. In the most recent past, the solvent most widely used has been perchloroethylene (herein generally referred to as "Perc"). Perc has the advantage of being an excellent cleaning solvent, but the disadvantage if being a major health and environmental hazard (i.e., it has been linked to numerous forms of cancer and it is very destructive to ground water and aquatic life). In some areas Perc is no longer allowed to be used. Additionally, in the past other solvents such as petroleum-based solvents and glycol ethers and esters have been tried and used. These various solvents have been used with mixed cleaning results and problematic fabric/textile compatibility as compared to the results obtained with Perc.

10

5

The present invention is distinct from the prior art that it relies upon a non-Perc solvent with superior characteristics as described below, and used in a method involving dry cleaning machinery which has been specially designed for the solvent.

15

20

The only use of a cyclic siloxane composition for cleaning purposes is disclosed in U.S. Patent No. 4,685,930 to Kasprzak. However, the disclosure therein is for spot cleaning applications only. There is no disclosure of immersing articles into the cyclic siloxane nor is there any suggestion of using the cyclic siloxane in a dry cleaning machine. Moreover, there is no suggestion of subjecting such articles immersed in cyclic siloxane to agitation, spinning, partial vacuum and heating in a continuous process to dry clean articles in a bulk process for removing fats, oils, grease and other soils from a large number of entire clothing articles.

SUMMARY OF THE INVENTION

The present invention comprises a novel dry cleaning system and method, in which specially designed or modified machinery is used in conjunction with a specific solvent which is derived from an organic/inorganic hybrid (organo silicone). In this class of organo silicones is a group known as cyclic siloxanes. The cyclic siloxanes present the basis for material composition of the solvent chemistry which allows this dry cleaning system to be highly effective. The cyclic-siloxane-based solvent allows the system to result in an environmentally friendly process which is, also, more effective in cleaning fabrics and the like than any known prior system. The siloxane composition is employed in a dry cleaning machine to carry out the method of the invention. In a preferred embodiment, the method comprises the steps of loading articles into a cleaning basket; agitating the articles and the siloxane composition in which they are immersed; removing most of the siloxane composition; centrifuging the articles; subjecting the articles to a partial vacuum pressure and elevated temperature; and removing the articles from the basket after cooling the articles and returning the pressure to ambient.

5

10

OBJECTS OF THE INVENTION

It is therefore a principal object of this invention to provide a method of dry cleaning using environmentally friendly solvents and techniques.

5

It is another object of this invention to provide a dry cleaning method wherein the articles being cleaned are not harmed by the solvent.

It is another object of this invention to provide a dry cleaning solvent which does not deposit and or build up in clothing and is also hypoallergenic.

Another object of this invention is to provide a dry cleaning solvent which has unique flammability characteristics, wherein the flashpoint and fire point are separated by at least 10 degrees Fahrenheit whereby the solvent is self extinguishing between the flashpoint and the firepoint.

Yet another object of this invention is to provide a dry cleaning solvent which can be heated above room temperature (over 70 degrees Fahrenheit) without causing harm to fabrics which further improves and speeds up the cleaning process.

20

15

Still another object of this invention is to provide a dry cleaning solvent which has a surface tension less than 18 dynes/square centimeter to better penetrate fabric fibers to remove debris to make it easier to remove the solvent from the fabric.

25

The foregoing and other objects and advantages of this invention will become apparent to those skilled in the art based upon the following description of a preferred embodiment.

BRIEF DESCRIPTION OF THE DRAWING

The aforementioned objects and advantages of the present invention, as well as additional objects and advantages thereof, will be more fully understood hereinafter as a result of a detailed description of a preferred embodiment when taken in conjunction with the following drawing in which:

FIG. 1 is a block diagram of the steps of the process showing one embodiment of the present invention.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

The present method of dry cleaning is unique, particularly with the use of a commonly known fluid class of cyclic siloxanes used for cosmetics and topical pharmaceuticals. These cyclic siloxanes are more particularly known as octamethyl-cyclotetrasiloxane (tetramer) and decamethyl-cyclopentasiloxane (pentamer). These fluids have never been disclosed as a dry cleaning solvent alternative for use in a dry cleaning machine. Combinations of the above tetramer and pentamer are by themselves not completely suitable for dry cleaning in their pure form. They are modified in the dry cleaning method of the preferred embodiment. The modification is in the form of adding soil suspending additives to prevent redeposition of dirt during the wash and rinse cycle, detergents for water-base stains, and disinfectants for the disinfection of bacteria and other forms of microorganisms which are present in all clothing.

The following steps more specifically describe the dry cleaning method of the preferred embodiment:

At step 1 garments or other items to be dry cleaned are placed in a vertical combination washer dryer with a horizontally rotating agitating cleaning basket (known to those skilled in the art). The barrel of the basket will have numerous holes or perforations, preferably each hole will be 1/8 to 3/8 inches in diameter.

At <u>step 2</u> the wash cycle is initiated with the solvent consisting of a combination of the tetramer and pentamer cyclic siloxane. The preferred combination is 80% tetramer and 20% pentamer by weight. The additives which modify the above mixture may be added separately just before the washing cycle and need not be part of the solvent composition. The use of these additives, namely detergents and suspending agents, allows the solvent to perform a total garment cleaning process. The solvent is pumped from a holding tank into the cleaning basket. The items being cleaned are agitated, such that the mechanical rubbing of the clothes and the infiltrating solvent dissolves and loosens dirt, debris and body fats from the fabric fibers, said agitation lasting from 3 to 10 minutes or more. The solvent is then pumped out of the basket back into the holding tank through a charcoal and/or clay filter system in order to remove the impurities which may have entered the solvent during the washing cycle.

5

10

15

20

25

At <u>step 3</u> the items having been cleaned are spin dried, preferably for about three to five minutes somewhere between 350 to 1000 rpm (revolutions per minute); preferably between 450 to 750 rpm. This operation leaves no more than 3% solvent residue in the items being cleaned. The higher the rpm, the faster the solvent is removed by the centrifugal force of the spinning basket. The very low surface tension of the solvent maximizes the efficacy of solvent removal via this centrifugal spinning process.

At <u>step 4</u> the garments are tumbled in the basket and heated to a temperature between 120 to 140 degrees Fahrenheit. This is accomplished by passing pressurized steam through a coil which heats up the air inside the basket through the use of a circulating fan. While this is happening, a partial vacuum is created inside the machine at negative pressure between 500 and 600 millimeters of mercury (where atmospheric pressure is 760 mm.). During this heating cycle, the solvent is vaporized and carried by circulating air to a refrigerated condensing coil which condenses the solvent from a vapor to a liquid collected out of the main air stream. In time, typically 15 to 20 minutes, all the solvent is removed from the garments.

At <u>step 5</u> the heating cycle is stopped and the cooling cycle begins. The temperature is reduced from 140 degrees Fahrenheit to below 100 degrees Fahrenheit. This is accomplished by eliminating the vacuum and circulating the air through the refrigerated coils until the process is complete.

The cleaning process is complete when the garments are removed from the machine at near body temperature or below to reduce secondary wrinkling. Removing the garments at a high temperature would cause wrinkling.

25

20

5

10

15

Having thus disclosed a preferred embodiment of the method and apparatus of the present invention, it being understood that the description is only exemplary and not necessarily limiting of the scope of the invention, what is claimed is:

CLAIMS

1. The method of dry cleaning articles comprising the steps of: immersing said articles to be dry cleaned in a dry cleaning fluid containing cyclic siloxane composition; agitating the articles in said composition; and removing said composition from said articles by centrifugal action and heat.

- 2. A dry cleaning method according to claim 1 wherein the articles being dry cleaned, after having been agitated, but before being centrifuged and heated, are subjected to a vacuum by reducing pressure to lower the flashpoint of the composition.
- 3. The method recited in claim 1 wherein said cyclic siloxane composition comprises the pentamer and tetramer cyclic siloxane as a solvent for use in the dry cleaning machine.
- 4. The method recited in claim 1 wherein said cyclic siloxane composition comprises detergent, disinfectant, suspending agents and brightners.
- 5. The method of dry cleaning articles comprising: placing articles to be dry cleaned in the cleaning basket of a washer and dryer combination; introducing a cyclic siloxane composition into the cleaning basket; agitating the articles and said composition in the cleaning basket; centrifuging the articles within the cleaning basket to remove the cyclic siloxane composition from the articles; subjecting the articles within the cleaning basket to a partial vacuum; heating the articles within the cleaning basket and under the partial vacuum; cooling the articles; and removing the articles from the cleaning basket.

25

30

5


10

15

- 6. An apparatus for dry cleaning articles; the apparatus comprising:
- a dry cleaning machine having a basket for receiving said articles and a source of cyclic siloxane composition; a liquid pump for transferring said composition into said basket; a motor for agitating and spinning said basket; a vacuum pump for subjecting said articles to a partial pressure; and a heater for raising the temperature of said articles.
- 7. The apparatus recited in claim 6 wherein said composition comprises a mixture of octamethyl-cyclotetrasiloxane and decamethyl-cyclopentasiloxane.

8. The apparatus recited in claim 6 wherein said composition comprises a mixture of at least two forms of cyclic siloxane.

- 9. The apparatus recited in claim 7 wherein said composition further comprises a detergent.
- 10. The apparatus recited in claim 8 wherein said composition further comprises at least one additive taken from the group consisting of detergents, disinfectants, suspending agents and brightners.



INTERNATIONAL SEARCH REPORT

Intern Julia Application No PCT/US 99/15920

A. CLASSIFI	ICATION OF SUBJECT MATTER D06L1/02		
According to	International Patent Classification (IPC) or to both national classific	cation and IPC	
B. FIELDS S	SEARCHED	tion cumbale)	
	cumentation searched (classification system followed by classification by the DOSE DOSE DOSE DOSE DOSE DOSE DOSE DOSE	цоп Буптоов)	
D	ion searched other than minimum documentation to the extent that	such documents are included in the fields sea	irched
Documentan	UII Sealched Chior Insurance		
Electronic de	ata base consulted during the international search (name of data b	pase and, where practical search terms used)	
Clocker as a			
	:		
C DOCUME	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
			1,3,4
X	DE 37 39 711 A (KREUSSLER CHEM I 8 June 1989 (1989-06-08)	FAB)	1,0,4
Υ	examples 1,2		1-10
X	DATABASE WPI		6
۸	Section Ch. Week 198908	CD.	
	Derwent Publications Ltd., Lond Class F07, AN 1989-058497	on, GB;	
	XP002119073	,	
	& JP 01 011599 A (FUJISHARYO KK 17 January 1989 (1989-01-17)),	
Y	abstract		1–10
	US 4 685 930 A (KASPRZAK KENNET	'H A)	1,3-10
A	11 August 1987 (1987-08-11)	,	
	cited in the application		
	claims 1,6		
		-/	
X Fu	ither documents are listed in the continuation of box C.	Patent family members are sisted	in amex.
* Special of	categories of cited documents:	"T" later document published after the int or priority date and not in conflict with	TING ADDICATION DUL
"A" docur	ment defining the general state of the art which is not sidered to be of particular relevance	cited to understand the principle or tr invention	neony underlying the
"E" earlie	or document but published on or after the international added	"X" document of particular relevance; the cannot be considered novel or cannot be considered nov	or de considereu w
"L" docur	ment which may throw doubts on priority claim(s) or	involve an inventive step when the d "Y" document of particular relevance: the	claimed invention
citat	in or other special reason (as specified) iment referring to an oral disclosure, use, exhibition or	cannot be considered to involve an indocument is combined with one or ments, such combination being ocvi	nore other such docu-
othe	er means ment published prior to the international filing date but	in the art. *8." document member of the same pater	
later	r than the priority date claimed ne actual completion of the international search	Date of mailing of the international s	
Date of th			
	15 October 1999	28/10/1999	
Name an	nd mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2	Authorized officer	
1	NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Ear (-31-70) 340-3016	Saunders, T	

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

Interi Anal Application No
PCT/US 99/15920

C.(Continue	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	l Dat	evant to claim No.
Category *	Citation of document, with indication, where appropriate, of the relevant passages	nei-	orace to countries.
A	US 5 301 379 A (SCHAAL ULRICH) 12 April 1994 (1994-04-12) abstract	·	1,2,5,6
	·		
[.			
		·	
			·
!			

INTERNATIONAL SEARCH REPORT

Information on patent family members

Inten unal Application No PCT/US 99/15920

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 3739711	Α	08-06-1989	NONE	
JP 1011599	Α	17-01-1989	JP 1673244 C JP 3035959 B	12-06-1992 29-05-1991
US 4685930	A	11-08-1987	AU 585906 B AU 4981785 A CA 1239326 A EP 0182583 A JP 1502875 C JP 61119765 A JP 63050463 B	29-06-1989 22-05-1986 19-07-1988 28-05-1986 28-06-1989 06-06-1986 07-10-1988
US 5301379	Α	12-04-1994	DE 59201588 D EP 0527699 A ES 2071474 T US 5357771 A	13-04-1995 17-02-1993 16-06-1995 25-10-1994

Form PCT/ISA/210 (patent family annex) (July 1992)

THIS PAGE BLANK (USPTO)